



Bench
by Links Contract



2022-01-01



Our innovative Bench series boasts sleek, stylish components that promote diversity and simplicity. All floor standing units come standard with adjustable glides, while a polished metal support frame finishes our attractive new series.

Bench by Links is a creative fusion of stylish design, aesthetics and functional modularity. This freestanding benching system lends a unique lightness while also being exceedingly practical for daily usage.

Bench offers units for storage space, mounted hutches, privacy panels, upholstered seat cushions, surface mount electrics and a cable management tray. These features create working environments that are alive and inspirational in many kinds of offices. From classic offices to open concept layouts, the endless possibilities of the Bench series will surely enhance creativity and productivity in the workplace.

A wide range of options

Bench consists of a minimum of modules that can be combined in various ways to suit different needs to create workstations and storage space.

The Bench system can be adapted to the needs of companies that seek contemporary office design and a workplace with a clear identity. The system, the desks and modules are easy to install and reconfigure.

Individual & Multiple work areas

Bench employs a design that is not often found in office areas, and comes in friendly colours that give every office a cosy vibrant touch. The design serves to create a vitalising and inspiring work environment in all kinds of offices from open-plan studios to minimalistic individual offices.

Simple cable management

Electrical cables feed through to cable trays that run horizontally under the unit and easily connect to any existing electrical outlet.

Bench At A Glance

2 Workstations

TR1, TR2
TR4, TR6
TR2A, TR3A
TRR, TRL

8 Pedestals

Mobile Pedestals

9 Cabinets

Cabinets - 22"H

10 Credenzas and Cushions

Credenzas - 22"H
Seat Cushions

13 Post Mounted Hutches

20" High Hutch (6" Posts)

14 Bench Panels and Accessories

Divider Panel Set

15 Bench Electrical and Accessories

Wire Management Tray
Power/Data Center
Bench Modesty Panels

16 Collaborative Power Options (Daisy Chain)

18 Tables

20 Electrical Placement Options, Specifications

21 Specifications

22 Links Contract Furniture At A Glance




Bench TR1

Work table. Free standing 24"D or 30"D work surface.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

24"D	TR1-2436-C	585	36/914	24/610	29.5/749	6.0/0.17	33/15
	TR1-2442-C	613	42/1067	24/610	29.5/749	6.4/0.18	36/16
	TR1-2448-C	638	48/1219	24/610	29.5/749	6.8/0.19	40/18
	TR1-2454-C	664	54/1372	24/610	29.5/749	7.2/0.20	44/20
	TR1-2460-C	688	60/1524	24/610	29.5/749	7.2/0.20	46/21
	TR1-2466-C	741	66/1676	24/610	29.5/749	7.2/0.20	50/23
	TR1-2472-C	793	72/1829	24/610	29.5/749	7.3/0.21	55/25
30"D	TR1-3036-C	651	36/914	30/762	29.5/749	6.6/0.19	38/17
	TR1-3042-C	676	42/1067	30/762	29.5/749	7.0/0.20	42/19
	TR1-3048-C	703	48/1219	30/762	29.5/749	7.4/0.21	48/22
	TR1-3054-C	728	54/1372	30/762	29.5/749	7.9/0.22	54/24
	TR1-3060-C	753	60/1524	30/762	29.5/749	7.9/0.22	57/26
	TR1-3066-C	805	66/1676	30/762	29.5/749	7.9/0.22	62/28
	TR1-3072-C	859	72/1829	30/762	29.5/749	8.1/0.23	66/30

**Bench TR2**


Work table. Two person, connected 24"D or 30"D work surfaces.




For configurations with divider panels add "-G" to desk code.
i.e. TR2-2472-G-C



with gap



24"D	TR2-2436-C	820	36/914	48/1219	29.5/749	9.8/0.28	65/29
	TR2-2442-C	859	42/1067	48/1219	29.5/749	10.1/0.29	73/33
	TR2-2448-C	893	48/1219	48/1219	29.5/749	10.5/0.30	80/36
	TR2-2454-C	930	54/1372	48/1219	29.5/749	10.9/0.31	82/37
	TR2-2460-C	965	60/1524	48/1219	29.5/749	10.9/0.31	85/39
	TR2-2466-C	1037	66/1676	48/1219	29.5/749	10.9/0.31	95/43
	TR2-2472-C	1109	72/1829	48/1219	29.5/749	11.0/0.31	110/50
30"D	TR2-3036-C	911	36/914	60/1524	29.5/749	10.2/0.29	76/34
	TR2-3042-C	948	42/1067	60/1524	29.5/749	10.7/0.30	84/38
	TR2-3048-C	984	48/1219	60/1524	29.5/749	11.1/0.31	95/43
	TR2-3054-C	1020	54/1372	60/1524	29.5/749	11.6/0.33	108/49
	TR2-3060-C	1055	60/1524	60/1524	29.5/749	11.6/0.33	114/52
	TR2-3066-C	1128	66/1676	60/1524	29.5/749	11.6/0.33	123/56
	TR2-3072-C	1199	72/1829	60/1524	29.5/749	11.8/0.33	133/60



For additional specification instructions see pages 20-21.
Refer to pages 15-17 for electrical options.
Divider panel sets and components available starting on page 14.

Bench TR4

Work table. Four person, connected 24"D or 30"D work surfaces.



For configurations with divider panels add "-G" to desk code.
i.e. TR4-2472-G-C




with gap



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)	

24"D	TR4-2436-C	1558	72/1829	48/1219	29.5/749	14.9/0.42	130/59
	TR4-2442-C	1628	84/2134	48/1219	29.5/749	15.6/0.44	145/66
	TR4-2448-C	1696	96/2438	48/1219	29.5/749	16.2/0.46	160/73
	TR4-2454-C	1766	108/2743	48/1219	29.5/749	16.9/0.48	165/75
	TR4-2460-C	1833	120/3048	48/1219	29.5/749	16.9/0.48	169/77
	TR4-2466-C	1968	132/3353	48/1219	29.5/749	16.9/0.48	190/86
	TR4-2472-C	2106	144/3658	48/1219	29.5/749	17.0/0.48	220/100
30"D	TR4-3036-C	1731	72/1829	60/1524	29.5/749	15.9/0.45	152/69
	TR4-3042-C	1799	84/2134	60/1524	29.5/749	16.6/0.47	175/79
	TR4-3048-C	1867	96/2438	60/1524	29.5/749	17.6/0.50	190/86
	TR4-3054-C	1937	108/2743	60/1524	29.5/749	18.4/0.52	210/95
	TR4-3060-C	2004	120/3048	60/1524	29.5/749	18.4/0.52	228/103
	TR4-3066-C	2141	132/3353	60/1524	29.5/749	18.4/0.52	246/112
	TR4-3072-C	2277	144/3658	60/1524	29.5/749	18.5/0.52	265/120



Bench TR6

Work table. Six person, connected 24"D or 30"D work surfaces.




For configurations with divider panels add "-G" to desk code.
i.e. TR6-2472-G-C



with gap



24"D	TR6-2436-C	2494	108/2743	48/1219	29.5/749	20.5/0.58	195/88
	TR6-2442-C	2603	126/3200	48/1219	29.5/749	21.6/0.61	228/103
	TR6-2448-C	2711	144/3658	48/1219	29.5/749	22.7/0.64	240/109
	TR6-2454-C	2824	162/4115	48/1219	29.5/749	23.8/0.67	249/113
	TR6-2460-C	2932	180/4572	48/1219	29.5/749	23.8/0.67	254/115
	TR6-2466-C	3152	198/5029	48/1219	29.5/749	23.8/0.67	285/129
	TR6-2472-C	3370	216/5486	48/1219	29.5/749	24.0/0.68	330/150
30"D	TR6-3036-C	2767	108/2743	60/1524	29.5/749	22.0/0.62	228/103
	TR6-3042-C	2876	126/3200	60/1524	29.5/749	23.3/0.66	250/113
	TR6-3048-C	2987	144/3658	60/1524	29.5/749	24.7/0.70	285/129
	TR6-3054-C	3097	162/4115	60/1524	29.5/749	26.0/0.74	315/143
	TR6-3060-C	3207	180/4572	60/1524	29.5/749	26.0/0.74	342/155
	TR6-3066-C	3426	198/5029	60/1524	29.5/749	26.0/0.74	369/167
	TR6-3072-C	3643	216/5486	60/1524	29.5/749	26.5/0.75	398/181



For additional specification instructions see pages 20-21.

Refer to pages 15-17 for electrical options.

Divider panel sets and components available starting on page 14.


Bench TR2A

Work table. Two person, connected 24"D or 30"D work surfaces.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

24"D	TR2A-2436-C	1091	72/1829	24/610	29.5/749	7.6/0.22	60/27
	TR2A-2442-C	1144	84/2134	24/610	29.5/749	8.0/0.23	67/30
	TR2A-2448-C	1198	96/2438	24/610	29.5/749	8.4/0.24	75/34
	TR2A-2454-C	1253	108/2743	24/610	29.5/749	8.7/0.25	83/38
	TR2A-2460-C	1304	120/3048	24/610	29.5/749	8.7/0.25	87/39
	TR2A-2466-C	1411	132/3353	24/610	29.5/749	8.7/0.25	95/43
	TR2A-2472-C	1520	144/3658	24/610	29.5/749	8.8/0.25	105/48
30"D	TR2A-3036-C	1223	72/1829	30/762	29.5/749	8.1/0.23	71/32
	TR2A-3042-C	1278	84/2134	30/762	29.5/749	8.6/0.24	79/36
	TR2A-3048-C	1332	96/2438	30/762	29.5/749	9.1/0.26	90/41
	TR2A-3054-C	1385	108/2743	30/762	29.5/749	9.5/0.27	103/47
	TR2A-3060-C	1439	120/3048	30/762	29.5/749	9.5/0.27	109/49
	TR2A-3066-C	1545	132/3353	30/762	29.5/749	9.5/0.27	118/54
	TR2A-3072-C	1654	144/3658	30/762	29.5/749	9.6/0.27	128/58




Bench TR3A

Work table. Three person, connected 24"D or 30"D work surfaces.



24"D	TR3A-2436-C	1571	108/2743	24/610	29.5/749	9.4/0.27	88/40
	TR3A-2442-C	1651	126/3200	24/610	29.5/749	9.8/0.28	98/44
	TR3A-2448-C	1733	144/3658	24/610	29.5/749	10.2/0.29	110/50
	TR3A-2454-C	1815	162/4115	24/610	29.5/749	10.5/0.30	122/55
	TR3A-2460-C	1892	180/4572	24/610	29.5/749	12.5/0.35	128/58
	TR3A-2466-C	2053	198/5029	24/610	29.5/749	13.1/0.37	140/64
	TR3A-2472-C	2216	216/5486	24/610	29.5/749	13.6/0.39	155/70
30"D	TR3A-3036-C	1772	108/2743	30/762	29.5/749	9.9/0.28	104/47
	TR3A-3042-C	1853	126/3200	30/762	29.5/749	10.4/0.29	116/53
	TR3A-3048-C	1935	144/3658	30/762	29.5/749	10.9/0.31	133/60
	TR3A-3054-C	2016	162/4115	30/762	29.5/749	11.3/0.32	152/69
	TR3A-3060-C	2092	180/4572	30/762	29.5/749	11.3/0.32	161/73
	TR3A-3066-C	2254	198/5029	30/762	29.5/749	11.3/0.32	175/79
	TR3A-3072-C	2417	216/5486	30/762	29.5/749	11.4/0.32	189/86



For additional specification instructions see pages 20-21.

Refer to pages 15-17 for electrical options.



Divider panel sets and components available starting on page 14.





Bench TRL


Work table. 24"D or 30"D worksurface with 24"D x 36"-48" return on left side.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
TRL-2460-2436-C	1149	60/1524	60/1524	29.5/749	8.3/0.24	65/29
TRL-2460-2442-C	1173	60/1524	66/1676	29.5/749	8.3/0.24	70/32
TRL-2460-2448-C	1199	60/1524	72/1829	29.5/749	8.3/0.24	75/34
TRL-2466-2436-C	1195	66/1676	60/1524	29.5/749	8.6/0.24	70/32
TRL-2466-2442-C	1220	66/1676	66/1676	29.5/749	8.6/0.24	75/34
TRL-2466-2448-C	1246	66/1676	72/1829	29.5/749	8.6/0.24	80/36
TRL-2472-2436-C	1241	72/1829	60/1524	29.5/749	8.9/0.25	78/35
TRL-2472-2442-C	1266	72/1829	66/1676	29.5/749	8.9/0.25	83/38
TRL-2472-2448-C	1292	72/1829	72/1829	29.5/749	8.9/0.25	88/40
TRL-3060-2436-C	1205	60/1524	66/1676	29.5/749	9.0/0.25	80/36
TRL-3060-2442-C	1232	60/1524	72/1829	29.5/749	9.0/0.25	85/39
TRL-3060-2448-C	1258	60/1524	78/1981	29.5/749	9.0/0.25	90/41
TRL-3066-2436-C	1253	66/1676	66/1676	29.5/749	9.3/0.26	84/38
TRL-3066-2442-C	1278	66/1676	72/1829	29.5/749	9.3/0.26	89/40
TRL-3066-2448-C	1304	66/1676	78/1981	29.5/749	9.3/0.26	94/43
TRL-3072-2436-C	1299	72/1829	66/1676	29.5/749	9.7/0.27	89/40
TRL-3072-2442-C	1325	72/1829	72/1829	29.5/749	9.7/0.27	94/43
TRL-3072-2448-C	1350	72/1829	78/1981	29.5/749	9.7/0.27	99/45

Bench TRR

Work table. 24"D or 30"D worksurface with 24"D x 36"-48" return on right side.




TRR-2460-2436-C	1149	60/1524	60/1524	29.5/749	8.3/0.24	65/29
TRR-2460-2442-C	1173	60/1524	66/1676	29.5/749	8.3/0.24	70/32
TRR-2460-2448-C	1199	60/1524	72/1829	29.5/749	8.3/0.24	75/34
TRR-2466-2436-C	1195	66/1676	60/1524	29.5/749	8.6/0.24	70/32
TRR-2466-2442-C	1220	66/1676	66/1676	29.5/749	8.6/0.24	75/34
TRR-2466-2448-C	1246	66/1676	72/1829	29.5/749	8.6/0.24	80/36
TRR-2472-2436-C	1241	72/1829	60/1524	29.5/749	8.9/0.25	78/35
TRR-2472-2442-C	1266	72/1829	66/1676	29.5/749	8.9/0.25	83/38
TRR-2472-2448-C	1292	72/1829	72/1829	29.5/749	8.9/0.25	88/40
TRR-3060-2436-C	1205	60/1524	66/1676	29.5/749	9.0/0.25	80/36
TRR-3060-2442-C	1232	60/1524	72/1829	29.5/749	9.0/0.25	85/39
TRR-3060-2448-C	1258	60/1524	78/1981	29.5/749	9.0/0.25	90/41
TRR-3066-2436-C	1253	66/1676	66/1676	29.5/749	9.3/0.26	84/38
TRR-3066-2442-C	1278	66/1676	72/1829	29.5/749	9.3/0.26	89/40
TRR-3066-2448-C	1304	66/1676	78/1981	29.5/749	9.3/0.26	94/43
TRR-3072-2436-C	1299	72/1829	66/1676	29.5/749	9.7/0.27	89/40
TRR-3072-2442-C	1325	72/1829	72/1829	29.5/749	9.7/0.27	94/43
TRR-3072-2448-C	1350	72/1829	78/1981	29.5/749	9.7/0.27	99/45

For additional specification instructions see pages 20-21.

Refer to pages 15-17 for electrical options.

Divider panel sets and components available starting on page 14.

Mobile Pedestals




Mobile pedestal on casters. One box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters.

P - Specify pull handle style

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

CAB-1622-TMBF	649	16/406	22/559	21/533	5/0.14	65/29
CAB-1622-TMBF-P	695	With optional handles				



Mobile pedestal on casters. One box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters. Cushioned seat. Refer to Links Fabric cards for available fabric selection.

P - Specify pull handle style


CAB-1622-TMBF-SE	920	16/406	22/559	24/610	6/0.17	65/29
CAB-1622-TMBF-SE-P	966	With optional handles				



Mobile pedestal on casters. Two box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters.

P - Specify pull handle style

CAB-1622-TMBBF	718	16/406	22/559	26.5/673	6/0.17	80/36
CAB-1622-TMBBF-P	787	With optional handles				



Mobile pedestal on casters. Two file drawer with ball bearing suspension on both drawers. Locking drawers. Four casters.

P - Specify pull handle style

CAB-1622-TMFF	718	16/406	22/559	26.5/673	6/0.17	80/36
CAB-1622-TMFF-P	764	With optional handles				



Mobile pedestal on casters. Four box drawers with ball bearing suspension. Locking drawers. Four casters.


P - Specify pull handle style

CAB-1622-TMFF	787	16/406	22/559	26.5/673	6/0.17	80/36
CAB-1622-TMFF-P	879	With optional handles				

For additional specification instructions and pull handle options see pages 20-21.
Refer to Links Fabric card for available fabric options.

Cabinets - 22"H

Storage cabinet with locking doors.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

CAB-2024-22-LSC-P	605	24/610	20/508	22/559	6.4/0.18	66/30
CAB-2024-22-RSC-P	605	24/610	20/508	22/559	6.4/0.18	66/30
CAB-2030-22-SC-P	632	30/762	20/508	22/559	8.0/0.23	74/34
CAB-2036-22-SC-P	657	36/914	20/508	22/559	9.6/0.27	81/37

P - Specify pull handle style

Box/File cabinet. One file drawer, one box drawer. Locking Drawers.



CAB-2024-22-BF-P	763	24/610	20/508	22/559	6.4/0.18	88/40
CAB-2030-22-BF-P	788	30/762	20/508	22/559	8.0/0.23	96/44
CAB-2036-22-BF-P	814	36/914	20/508	22/559	9.6/0.27	103/47

P - Specify pull handle style

MAX 30lb LOAD CAPACITY

Open cabinet with three adjustable shelves.




CAB-2024-22-OS	605	24/610	20/508	22/559	6.4/0.18	88/40
CAB-2030-22-OS	632	30/762	20/508	22/559	8.0/0.23	96/44
CAB-2036-22-OS	657	36/914	20/508	22/559	9.6/0.27	103/47



For additional specification instructions and pull handle options see pages 20-21.

Credenzas - 22"H

Double storage cabinet credenza with locking doors.




		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

CAB-2060-22-SCSC-P	1278	60/1524	20/508	22/559	16.0/0.45	148/67
CAB-2072-22-SCSC-P	1317	72/1829	20/508	22/559	19.2/0.54	162/73

P - Specify pull handle style


Double box/file cabinet credenza. One file drawer, one box drawer each cabinet. Locking Drawers.



CAB-2060-22-BFBF-P	1593	60/1524	20/508	22/559	16.0/0.45	192/87
CAB-2072-22-BFBF-P	1632	72/1829	20/508	22/559	19.2/0.54	206/93


P - Specify pull handle style

Double open shelf credenza. Three adjustable shelves in each cabinet.



CAB-2060-22-OSOS	1278	60/1524	20/508	22/559	16.0/0.45	192/87
CAB-2072-22-OSOS	1317	72/1829	20/508	22/559	19.2/0.54	206/93


Storage cabinet, box/file credenza. One file drawer, one box drawer. Locking doors and drawers.



CAB-2060-22-SCBF-P	1423	60/1524	20/508	22/559	16.0/0.45	170/77
CAB-2072-22-SCBF-P	1462	72/1829	20/508	22/559	19.2/0.54	184/83

P - Specify pull handle style

Storage cabinet, bookcase credenza. Three adjustable shelves in open shelf cabinet. Locking doors on storage cabinet.




CAB-2060-22-SCOS-P	1278	60/1524	20/508	22/559	16.0/0.45	170/77
CAB-2072-22-SCOS-P	1317	72/1829	20/508	22/559	19.2/0.54	184/83

P - Specify pull handle style

For additional specification instructions and pull handle options see pages 20-21.

Credenzas - 22"H

Box/file cabinet, bookcase credenza. One file drawer, one box drawer. Three adjustable shelves in open shelf cabinet. Locking drawers on box/file cabinet.




CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

CAB-2060-22-BFOS-P	1423	60/1524	20/508	22/559	16.0/0.45	192/87
CAB-2072-22-BFOS-P	1462	72/1829	20/508	22/559	19.2/0.54	206/93

P - Specify pull handle style


Box/file cabinet, storage cabinet credenza. One file drawer, one box drawer. Locking drawers and doors.



CAB-2060-22-BFSC-P	1423	60/1524	20/508	22/559	16.0/0.45	170/77
CAB-2072-22-BFSC-P	1462	72/1829	20/508	22/559	19.2/0.54	184/83

P - Specify pull handle style


Bookcase, storage cabinet credenza. Three adjustable shelves in open shelf cabinet. Locking doors on storage cabinet.



CAB-2060-22-OSSC-P	1278	60/1524	20/508	22/559	16.0/0.45	170/77
CAB-2072-22-OSSC-P	1317	72/1829	20/508	22/559	19.2/0.54	184/83

P - Specify pull handle style

Bookcase, box/file cabinet credenza. Three adjustable shelves in open shelf cabinet. One file drawer, one box drawer. Locking drawers on box/file cabinet.




CAB-2060-22-OSBF-P	1423	60/1524	20/508	22/559	16.0/0.45	192/87
CAB-2072-22-OSBF-P	1462	72/1829	20/508	22/559	19.2/0.54	206/93

P - Specify pull handle style

Seat Cushions

Upholstered seat cushions for placement above credenzas are available in all Links Fabric options.




ACC-2024-SEAT	289	24/610	20/508
ACC-2030-SEAT	316	30/762	20/508
ACC-2036-SEAT	342	36/914	20/508

For additional specification instructions and pull handle options see pages 20-21. Refer to Links Fabric cards for available fabric selection.



20" High Hutch (6" Posts)

Hutch mounted on two 6" posts for hutches 18"-36" wide, four 6" posts for hutches 42" and wider. Center Divider included on hutches 42" and wider.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
TRPH-1418-20	383	18/457	14/356	20/508	0.6/0.02	13/6
TRPH-1424-20	421	24/610	14/356	20/508	0.8/0.02	16/7
TRPH-1430-20	460	30/762	14/356	20/508	1.0/0.03	19/9
TRPH-1436-20	494	36/914	14/356	20/508	1.2/0.03	24/11
TRPH-1442-20	531	42/1067	14/356	20/508	1.4/0.04	28/13
TRPH-1448-20	565	48/1219	14/356	20/508	1.6/0.05	32/15
TRPH-1454-20	603	54/1372	14/356	20/508	1.8/0.05	36/16
TRPH-1460-20	640	60/1524	14/356	20/508	2.0/0.06	40/18
TRPH-1466-20	675	66/1676	14/356	20/508	2.2/0.06	44/20
TRPH-1472-20	709	72/1829	14/356	20/508	2.4/0.07	48/22



For additional specification instructions see pages 20-21.


Divider Panel Set

12"H Divider Panel.




CODE	PRICE				WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	(L)	(W)	(F)	(Z)	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
TRPS-1224-	231	285	334	334	24/610	0.75/19	12/305	0.4/0.01	6/2.7
TRPS-1230-	239	301	363	363	30/762	0.75/19	12/305	0.4/0.01	7/3.2
TRPS-1236-	246	317	388	388	36/914	0.75/19	12/305	0.5/0.01	7/3.2
TRPS-1242-	251	332	414	414	42/1067	0.75/19	12/305	0.6/0.01	7/3.2
TRPS-1248-	258	349	440	440	48/1219	0.75/19	12/305	0.6/0.02	8/3.6
TRPS-1254-	270	370	469	469	54/1372	0.75/19	12/305	0.7/0.02	8/3.6
TRPS-1260-	284	388	492	492	60/1524	0.75/19	12/305	0.7/0.02	8/3.6
TRPS-1266-	303	412	518	518	66/1676	0.75/19	12/305	0.8/0.02	9/4.1
TRPS-1272-	323	435	544	544	72/1829	0.75/19	12/305	0.8/0.02	9/4.1

18"H Divider Panel.





TRPS-1824-	302	371	437	437	24/610	0.75/19	18/457	0.5/0.01	7/3.2
TRPS-1830-	310	391	471	471	30/762	0.75/19	18/457	0.5/0.01	8/3.6
TRPS-1836-	318	413	505	505	36/914	0.75/19	18/457	0.6/0.02	8/3.6
TRPS-1842-	328	430	537	537	42/1067	0.75/19	18/457	0.7/0.02	8/3.6
TRPS-1848-	334	452	571	571	48/1219	0.75/19	18/457	0.7/0.02	9/4.1
TRPS-1854-	351	480	607	607	54/1372	0.75/19	18/457	0.8/0.02	9/4.1
TRPS-1860-	370	505	639	639	60/1524	0.75/19	18/457	0.8/0.02	9/4.1
TRPS-1866-	393	535	675	675	66/1676	0.75/19	18/457	0.9/0.03	10/4.5
TRPS-1872-	419	563	708	708	72/1829	0.75/19	18/457	0.9/0.03	10/4.5




Standard mounting using desk gap.

Note: divider panels for Bench are recommended a size down. i.e. on a 72"W desk a 66" panel is generally standard.




To specify Bench panels on desk ends, or surfaces that do not have a gap to accommodate panel mounting, specify "A" at end of panel code. i.e. TRPS-1224-F-A



Laminate (L)
TRPS-____-L
(see samples for finish colour selection)




Fabric (F)
TRPS-____-F
(see fabric cards for available selection)



Whiteboard (W)
TRPS-____-W




Frosted (Z)
TRPS-____-Z



Laminate (L)
TRPS-____-L-A
(see samples for finish colour selection)



Fabric (F)
TRPS-____-F-A
(see fabric cards for available selection)



Whiteboard (W)
TRPS-____-W-A




Frosted (Z)
TRPS-____-Z-A

For additional specification instructions see pages 20-21.
Refer to Links Fabric cards for available fabric selection.

Wire Management Tray

Available on desks with widths of 48" and larger.



Power/Data Center

Metal Finish Electrical Port.



2 voice/data ports/housing
(jacks not included)



Power Center. Plastic



1 Open Data/2 Power/1 Open Data

Bench Modesty Panels

Modesty panels are specified by desk size.



View from right side of desk

For additional specification instructions see pages 20-21.
See page 18 for ELE-PORT position placement specifications.


		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

TRWM-48	103	43/1092	7.25/184	3/76		3.8/2
---------	-----	---------	----------	------	--	-------

ELE-PORT-200	602	Please specify position when ordering
Add (-SL) for Silver finish or (-BK) for Black finish		

ELE-PORT-400	361	Please specify position when ordering
Add (-BK) for Black finish or (-WH) for White finish		

TR-MOD-36-L	239	30/762	0.75/19	12/305
TR-MOD-42-L	246	36/914	0.75/19	12/305
TR-MOD-48-L	251	42/1067	0.75/19	12/305
TR-MOD-54-L	258	48/1219	0.75/19	12/305
TR-MOD-60-L	270	54/1372	0.75/19	12/305
TR-MOD-66-L	284	60/1524	0.75/19	12/305
TR-MOD-72-L	303	66/1676	0.75/19	12/305
TR-MOD-36-Z	363	30/762	0.75/19	12/305
TR-MOD-42-Z	388	36/914	0.75/19	12/305
TR-MOD-48-Z	414	42/1067	0.75/19	12/305
TR-MOD-54-Z	440	48/1219	0.75/19	12/305
TR-MOD-60-Z	469	54/1372	0.75/19	12/305
TR-MOD-66-Z	492	60/1524	0.75/19	12/305
TR-MOD-72-Z	518	66/1676	0.75/19	12/305




Links Contract Furniture's non-sequential power system allows users to "daisy chain" multiple power centers together, requiring only one unit to be plugged into a wall outlet. This system works with the Links ELE-PORT-250 (Black) and ELE-PORT-260 (Silver) power and data port. The system enables a connection of up to 8 power/data centers off of one infeed. A three-way splitter allows users to extend or consolidate power access as needed. A smart LED indicator will illuminate green when everything is connected and ready, while a red light indicates that too many units have been linked.

Features:

- Customizable infeed cord lengths
- Non-sequential; arrange and re-arrange quickly and in any order.
- Multi-directional splitters
- UL 962 recognized



Go Team!



Plug & Go

A 15-amp plug infeed allows you to start almost anywhere



A Mind Of Its Own

iQ does the thinking, so you can just plug in and get to work



Snap Together, Branch Out

Modular connections and 3-way splitters make layouts easy

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
Daisy Chain Starter.							
ELE-PORT-250 (Black)	ELE-PORT-250-START	1356					
ELE-PORT-260 (Silver)	ELE-PORT-260-START	1356					

Surface mount power/data center with customizable cord lengths. Please specify position when ordering.

ELE-PORT-250 (Black)

ELE-PORT-260 (Silver)


ELE-PORT-250-24	827	24/610
ELE-PORT-260-24	827	24/610
ELE-PORT-250-36	844	36/914
ELE-PORT-260-36	844	36/914
ELE-PORT-250-48	863	48/1219
ELE-PORT-260-48	863	48/1219
ELE-PORT-250-60	873	60/1524
ELE-PORT-260-60	873	60/1524
ELE-PORT-250-72	888	72/1829
ELE-PORT-260-72	888	72/1829

**Surface mount electrical port comes standard with two (2) electrical receptacles and housing for optional voice/data plugs.
Contact customer service for additional options.**

Drawings must be provided with order.



Racetrack Shape

1" thick top with matching edge. 120"W to 192"W have two piece top.




CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

TBL-0006-TRTR	1072	72/1829	36/914	29.5/749	4.5/0.13	100/45
TBL-0008-TRTR	1258	96/2438	42/1067	29.5/749	7.5/0.21	120/54
TBL-0010-TRTR	1865	120/3048	48/1219	29.5/749	10.5/0.30	160/73
TBL-0012-TRTR	2007	144/3658	48/1219	29.5/749	11.0/0.31	210/95
TBL-0014-TRTR	2366	168/4267	48/1219	29.5/749	11.5/0.33	240/109
TBL-0016-TRTR	2515	192/4877	48/1219	29.5/749	14.5/0.41	290/132





Boat Shape

1" thick top with matching edge. 120"W to 192"W have two piece top.




TBL-0006-BSTR	1072	72/1829	36/914	29.5/749	4.5/0.13	100/45
TBL-0008-BSTR	1258	96/2438	42/1067	29.5/749	7.5/0.21	120/54
TBL-0010-BSTR	1865	120/3048	48/1219	29.5/749	10.5/0.30	160/73
TBL-0012-BSTR	2007	144/3658	48/1219	29.5/749	11.0/0.31	210/95
TBL-0014-BSTR	2366	168/4267	48/1219	29.5/749	11.5/0.33	240/109
TBL-0016-BSTR	2515	192/4877	48/1219	29.5/749	14.5/0.41	290/132





Rectangular

1" thick top with matching edge. 120"W to 192"W have two piece top.



TBL-0006-RCTR	1072	72/1829	36/914	29.5/749	4.5/0.13	100/45
TBL-0008-RCTR	1258	96/2438	42/1067	29.5/749	7.5/0.21	120/54
TBL-0010-RCTR	1865	120/3048	48/1219	29.5/749	10.5/0.30	160/73
TBL-0012-RCTR	2007	144/3658	48/1219	29.5/749	11.0/0.31	210/95
TBL-0014-RCTR	2366	168/4267	48/1219	29.5/749	11.5/0.33	240/109
TBL-0016-RCTR	2515	192/4877	48/1219	29.5/749	14.5/0.41	290/132




Round

1" thick top with matching edge.




		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

TBL-3030-RDTR	632	30/762	30/762	29.5/749	5/0.14	50/23
TBL-3636-RDTR	651	36/914	36/914	29.5/749	6/0.17	60/27
TBL-4242-RDTR	706	42/1067	42/1067	29.5/749	7/0.20	70/32
TBL-4848-RDTR	769	48/1219	48/1219	29.5/749	8/0.23	80/36
TBL-5454-RDTR	1077	54/1372	54/1372	29.5/749	9/0.25	90/41



Square Top


1" thick top with matching edge.



TBL-3030-SQTR	632	30/762	30/762	29.5/749	5/0.14	50/23
TBL-3636-SQTR	651	36/914	36/914	29.5/749	6/0.17	60/27
TBL-4242-SQTR	706	42/1067	42/1067	29.5/749	7/0.20	70/32
TBL-4848-SQTR	769	48/1219	48/1219	29.5/749	8/0.23	80/36
TBL-5454-SQTR	1077	54/1372	54/1372	29.5/749	9/0.25	90/41




End/Coffee Tables



TBL-2024-ETTR	585	24/610	20/508	18/457		
TBL-2442-ETTR	613	42/1067	24/610	18/457		

X-Base



TR-20-XB-29	290	20/508	20/508	28/711		
TR-24-XB-29	312	24/610	24/610	28/711		
TR-30-XB-29	314	30/762	30/762	28/711		
TR-36-XB-29	531	36/914	36/914	28/711		

For additional specification instructions see pages 20-21.
Refer to pages 15-17 for electrical options.

Power/Data Center


The ELE-PORT is a compact workspace accessory that provides convenient power and data distribution.

Item Codes:

ELE-PORT-100 (Black) & ELE-PORT-200 (Silver).
ELE-PORT-250 (Black) & ELE-PORT-260 (Silver)
daisy chain. See pages 15-17 for pricing/images.

ELE-PORT Specifications:

- ELE-PORT may be ordered on all worksurfaces.
- 10 foot black cord included.
- ELE-PORT are available in standard worksurface locations (shown below)
- ELE-PORTs may be placed in custom locations, a drawing is required indicating exact vertical and horizontal locations for the center of the cutout.



Cut-out placed on user side of beams/base.

Grommet/ELE-PORT Position Codes

POS1	Left/Left User Side
POS2	Center/Center User Side
POS3	Right/Right User Side
POS4	Left/Center User Side
POS5	Right/Center User Side

Grommets and Power/Data

- Grommets are available in same locations as ELE-PORTS seen above.
- Grommets may be placed in custom locations, a drawing is required indicating exact locations.
- Grommets are not standard on Bench work-surfaces but may be added if requested. One grommet available on all worksurfaces at no upcharge. Add \$76 list for each additional grommet.
- Black or Silver available for both grommets and power/data units.



ACC-OG-BK
Black Grommet
(Standard)



ACC-OG-SL
Silver Grommet
(Optional)

Thickness

Worksurfaces:	1" (25mm) thick/1 1/2" (38mm) thick.
Drawer Fronts:	5/8" (16mm) thick.
Doors:	5/8" (16mm) thick.
Shelves:	5/8" (16mm) thick.

Industry Standards

- Greenguard Certified.

Sizes and Weights

- Weights are approximate and are not exact.
- Height does not include floor levelers. (some exceptions apply to height)

Finishes / Color Specifications

- Storage units may be ordered one-tone or two-tone.
- Legs and support beams available in Silver with Chrome accents.

To Specify one-tone or two-tone colors:

- First code denotes the worksurface, second code denotes the (cabinet) base/drawer/door/shelf color.
- To order one-tone color units, specify first code and second code identically.
i.e. CO/CO or CO - Cognac top with Cognac base.
- To order two-tone color units, specify worksurface and (cabinet) base code separately. **i.e. CO/SA - Cognac top and fronts with Sahara base.**

TOPS:

Nutmeg (NM)	Chocolate Walnut (CW)
Cognac (CO)	Cherry Henna (CH)
Riviera Maple (RM)	Sahara (SA)
True White (TW)	Willow Gray (WG)
Cappuccino (CP)	Storm Gray (SG)
Milky Way (MW)	Gray (GR)
Windy City (WC)	London Fog (LN)
Aspen (AP)	

BASES (CAB):

Nutmeg (NM)	Chocolate Walnut (CW)
Cognac (CO)	Cherry Henna (CH)
Riviera Maple (RM)	Sahara (SA)
True White (TW)	Willow Gray (WG)
Chamois Black (BK)	Storm Gray (SG)
Gray (GR)	Cappuccino (CP)
London Fog (LN)	Milky Way (MW)
Windy City (WC)	Aspen (AP)

ACCENTS:

Lime Burst (LB)
Strawberry Fields (SF)
Aqua Breeze (AB)

*Accent colors can be used on anything made of 5/8" (16mm) laminate. Generally this is for drawer/door fronts, shelves, and Bench hutches.

Worksurfaces and Beams

- Worksurfaces are 1" (25mm) edged on all 4 sides.
- Leg and support beams are a 3" (76mm) anodized aluminum profiles available in silver only, with Chrome finish connectors.
- Worksurfaces are pre-drilled for connection to bases, and other components where applicable.
- Edges are user friendly, 3mm thick "Tough Guard" edged; beveled edges improve user comfort and product durability.
- Leveler shape is square body with rounded bottom, allowing for easy leveling of units and the additional space between frame and floor, minimizing moisture from carpet or floor.
- Floor levelers plastic base is 5/8" (16mm) high, with 1 1/4" (32mm) high threaded stem allowing 1" (25mm) height adjustment.

Doors, Drawers, and Shelves

- Drawer/Door fronts and shelves are 5/8" (16mm) thick solid core particle board finished on both sides with thermofused laminate.
- Drawer/Door fronts & shelves have 3mm thick "Tough Guard" edging on all 4 sides.
- Interior drawer construction in black finish.
- Drawers/Doors, open with front pull handles drilled 128mm apart, allowing for a wide comfortable grip.
- Box drawers, File drawers operate on ball bearing suspension slides for smooth and quiet operation.
- Box drawers operate on full extension ball-bearing slides, tested for 75lbs /34kg
- File drawers operate on full extension ball bearing slides, tested for 100lbs /45kg.
- File drawers are standard with file support rails, accepting letter or legal hanging files, allowing front to back or side to side filing.
- Drawers are 18" (457mm) depth.
- Cabinet doors operate on self closing hinges for smooth and quiet operation, are standard with 35mm half overlay and 40mm full overlay clip on hinges.
- Hutch doors are available in sliding option only.

Lock Specifications

- Locks are standard with an interchangeable lock core.
- Locks are standard in black and silver finishes.
- Locks are standard with collapsible key preventing damage to key.
- Lock core can be changed allowing multiple units to be keyed alike.
- Lock core can be changed allowing multiple units in a common area to be keyed differently (50 different cores available).
- One lock is standard on all locking cabinets
- Identical lock numbers are automatically supplied on the same unit.
- Core removable key available, master key available.
- Keys supplied with Microban Antimicrobial product protection

Packaging

- Assembled bases are packaged in corrugated cartons containing high recycled content.
- Worksurface edges and corners are reinforced with edge and corner protectors.
- Wood strapping supports the bottom portion of assembled units.

Pull Handle Options



STANDARD "P1" PULL HANDLE
Black Finish



Optional "P2" PULL HANDLE
Silver Finish



Optional "P3" PULL HANDLE
Silver Finish



Optional "P4" PULL HANDLE
Silver Finish



Optional "P5" PULL HANDLE
Brushed Nickel Finish



Optional "P6" PULL HANDLE
Matte Black Finish



Optional "P7" PULL HANDLE
Brushed Nickel Finish

All above handles are for use with: lateral files, storage cabinets and other items, such as serving carts and wardrobes, manufactured by Links Contract Furniture Inc.. Please specify the handle of your choice on your purchase order. Orders will be processed with the standard P1 handle if not specified on your order.

Notification:

We are constantly upgrading our products. For the most up-to date product specifications, please contact Customer Service.

Links Contract Furniture Values

We value our customers. We are responsible to the consumers who use our products. Therefore, in meeting the needs of our consumers we are committed to delivering the upmost quality products and providing business excellence as the base of everything we do. We promise to listen closely to the needs of our consumers and strive to continuously exceed expectations.

At Links we recognize our members. An organization is only effective as its people. Therefore, employee development is an essential element of company growth. As an organization we believe in the ability of our people and stand behind them in achieving their greatest potential.


We value integrity. We believe in developing integrity in the deepest layers of our organization and not just at its surface. We strive to build mutually beneficial relationships with our customers, dealers, and suppliers as a foundation for growth.

We value continuous learning. We believe in growth through experience. A constant evolution in the way we think and act brings about new knowledge and skills that allow us to develop improved processes, advanced designs, and reduce our environmental impact.

We value our world. We work to cultivate the world in which we live in through investing in our people and the pursuit of sustainable development. Focusing our value chain on the challenges of sustainable development has allowed us to find new ways to minimize our impact on the environment.



Links Contract Furniture Inc.
undoubtedly achieves to supply
every office scheme with the
newest in office furniture design and
a splash of colour for that unique,
corporate look.





LINKS' Creative Solutions . . . The Industry Leader!



While every effort is made to ensure the accuracy of information contained in this price list at the time of publication, we cannot accept responsibility for inaccuracies resulting from printing errors or omissions. We reserve the right to make product improvements and price changes without notice.

© Copyright 2022 Links Contract Furniture Inc.. All Rights Reserved.

Head Office/Showroom:	141 Cidermill Ave, Unit #1	Concord, Ontario	Canada	L4K 4G5
Local & International:	P: 416.745.8910			
Toll Free - North America:	P: 855-50-LINKS (855.505.4657)			
Email:	info@linkscontract.com			
Website:	linkscontract.com			

